

CLAIMS

Sub
a1

1. An apparatus comprising:
a browsing mechanism configured to render a current data resource in
5 a display region of a graphical user interface, said browsing mechanism
configured to navigate through a plurality of data resources; and
an attachment mechanism configured to retrieve an attachment from
said browsing mechanism in response to a user event, said attachment
associated with said current data resource.

10
Sub
a2

2. The apparatus of claim 1, wherein said attachment comprises a
resource locator associated with said current data resource.

3. The apparatus of claim 1, wherein said attachment comprises
15 source data associated with said current data resource.

4. The apparatus of claim 1 wherein said attachment mechanism is
configured to select an attachment type of said attachment.

- 20 5. The apparatus of claim 1, wherein said attachment mechanism
comprises a button on said graphical user interface.

6. The apparatus of claim 1, wherein said browsing mechanism is
configured to navigate to a first data resource using a resource locator in a
25 second data resource.

Sub
a2

7. A method for selecting attachments comprising:
displaying a graphical user interface having a browsing mechanism
configured to render a data resource;

5 browsing through one or more data resources using said browsing
mechanism to determine a desired data resource; and

retrieving an attachment from said browsing mechanism, said
attachment associated with said desired data resource.

10 8. The method of claim 7 further comprising the step of selecting a
type of said attachment.

15 9. The method of claim 7 wherein said step of retrieving said
attachment comprises retrieving a resource locator of said desired data
resource.

20 10. The method of claim 7 wherein said step of retrieving said
attachment comprises retrieving source data associated with said desired data
resource.

11. The method of claim 7, wherein said step of browsing comprises
the step of navigating a resource locator in said one or more documents.

Sub
a3

12. A computer program product comprising:
a computer usable medium having computer readable code embodied
therein for selecting an attachment, said computer program product
comprising:

5 computer readable code configured to cause a computer to display a
graphical user interface having a browsing mechanism configured to render a
data resource;

10 computer readable code configured to cause a computer to respond to
user input to browse through one or more data resources using said browsing
mechanism; and

computer readable code configured to cause a computer to retrieve an
attachment from said browsing mechanism, said attachment associated with a
desired data resource.

15 13. The computer program product of claim 12 further comprising
computer readable code configured to cause a computer to receive user input
to select a type of said attachment.

Sub
a4

20 14. The computer program product of claim 12 wherein said
computer readable code configured to cause a computer to retrieve said
attachment comprises computer readable code configured to cause a computer
to retrieve a resource locator of said desired data resource.

15. The computer program product of claim 12 wherein said computer readable code configured to cause a computer to retrieve said attachment comprises computer readable code configured to cause a computer to retrieve source data associated with said desired data resource.

5

16. The computer program product of claim 12, wherein said computer readable code configured to cause a computer to respond to user input to browse comprises computer readable code configured to cause a computer to navigate a resource locator in said one or more documents.

10

17. A memory configured to store data for access by a computer system, comprising:

a data structure stored in said memory and associated with a graphical user interface, said data structure comprising:

15

a browsing component comprising:

one or more methods configured to render a current data resource;

one or more navigation methods configured to navigate between a plurality of data resources;

20

one or more navigation components configured to invoke said one or more navigation methods of said browsing component in response to user input; and

25

an attachment component comprising a method configured to retrieve an attachment from said browsing component in response to a user input, said attachment associated with a desired data resource.

09046784-032398
36329-48294060

Sub
A4

Sub D

18. The memory of claim 17, wherein said attachment comprises a resource locator of said desired data resource.

5 19. The memory of claim 17, wherein said attachment comprises source data associated with said data resource.

20. The memory of claim 17, wherein said data structure further comprises:

10 a property which determines a type of said attachment; and
a selection method configured to allow a user to select a value of said property.

15 21. The memory of claim 17, wherein said one or more navigation methods are configured to navigate a resource locator in a data resource in response to a user input.

22. The memory of claim 17, wherein said browsing component further comprises:

20 a stack configured to contain resource locators of navigated data resources;

one or more methods configured to browse said navigated data resources by stepping forward and backward within said stack.

09046784.032398

Sub
as

23. An apparatus comprising:
- a browsing means for rendering a current data resource in a display region of a graphical user interface, said browsing means for navigating through a plurality of data resources; and
- 5 means for retrieving an attachment from said browsing means in response to a user event, said attachment associated with said current data resource.

09046784.032398